

Green Label License

No. 10879

The Standards Institution of Israel (SII) have licensed:
YTONG LTD. - PARDES HANA PLANT
MEMBER OF YTONG INDUSTRIES
Park Inds. Kesaria, P.O.B 1017, Pardes Hana, Israel

Green Label license for compliance with

IGTD No. 53 : Construction Blocks
Composite Autoclaved Aerated-concrete Block -exter

LIST OF TYPES IN ANNEX A

These commodities are produced in conformity with the requirements of the Israel Standard SI 14020 - Environmental Labels and Declarations - General Principles, the requirements set in the specific relevant standards, and by the Green Label Program Directorate.

This license is granted in conformance with SII procedure AC 07.00 "Rules for Green Label Program Directorate and for granting Green Label license". The license does not derogate any obligations, or other rules, which apply to the product(s) by law.

This certificate remains the property of SII. Its continued validity may be verified via scanning the barcode or via the SII website www.sii.org.il.

This license is valid from 01/01/2025 until 31/12/2025



Dr. Gilad Golub
CEO




R.N 511212615



Avital Weinberg
VP Quality & Certification Division



THE STANDARDS INSTITUTION OF ISRAEL



The standards Institution of Israel
42 Chaim Levanon St,
Tel-Aviv 6997701



THE STANDARDS INSTITUTION OF ISRAEL



The standards Institution of Israel
42 Chaim Levanon St,
Tel-Aviv 6997701

Annex A: Green Label License No. 10879

Factory: YTONG LTD. - PARDES HANA PLANT MEMBER OF YTONG INDUSTRIES

IGTD No. 53: Construction Blocks Composite Autoclaved Aerated-concrete Block -exter

Models:

1. Ytong isolation panel EXTRA
Dimensional tolerances: GPLM, Mean compressive strength 1.0 Mpa
Dry density: 280 kg/m³
Dry Thermal conductivity (LAMBDA 10):0.074
2. Ytong for Building
Dimensional tolerances: GPLM, Mean compressive strength 2.5Mpa.
Dry density: 400 kg/m³
Dry Thermal conductivity (LAMBDA 10):0.109
3. Ytong for Load bearing walls
Dimensional tolerances: GPLM, Mean compressive strength 4.0 Mpa.
Dry density: 580 kg/m³
Dry Thermal conductivity (LAMBDA 10):0.152

This license is valid from 01/01/2025 until 31/12/2025

Dr. Gilad Golub
CEO



R.N 511212615

Avital Weinberg
VP Quality & Certification Division