

Green Label License

No. 127277

The Standards Institution of Israel (SII) have licensed:

YTONG PROBETON S.A. THRAKON GROUP

THRAKON AEBE 130, SYNGROU AVENUE 117 45, ATHENS, GREECE

Green Label license for compliance with

IGTD No. 53 : Construction Blocks
Lightweight Aggregate Composite Block For External

LIST OF TYPES IN ANNEX A

These commodities are produced in conformity with the requirements of the Israel Standard SI 14020 – Environmental Labels and Declarations – General Principles, the requirements set in the specific relevant standards, and by the Green Label Program Directorate.

This license is granted in conformance with SII procedure AC 07.00 "Rules for Green Label Program Directorate and for granting Green Label license". The license does not derogate any obligations, or other rules, which apply to the product(s) by law.

This certificate remains the property of SII. Its continued validity may be verified via scanning the barcode or via the SII website www.sii.org.il.

This license is valid from 27/05/2025 until 31/12/2025




Dr. Gilad Golub
CEO



Avital Weinberg
VP Quality & Certification Division



The standards Institution of Israel
42 Chaim Levanon St,
Tel-Aviv 6997701





The standards Institution of Israel
42 Chaim Levanon St,
Tel-Aviv 6997701

Annex A: Green Label License No. 127277

Factory: YTONG PROBETON S.A. THRAKON GROUP

IGTD No. 53: Construction Blocks Lightweight Aggregate Composite Block
For External

Models:

1. Dimensional tolerances category: GPLM
Mean compressive strength: 1.0 MPa,
Dry gross density: 280 kg/m³
Dry oven thermal conductivity: ("lamda"_{10dry}):
0.074 Watt/m²°K G-1
2. Dimensional tolerances category: GPLM
Mean compressive strength: 2.5 MPa,
Dry gross density: 400 kg/m³
Dry oven thermal conductivity: ("lamda"_{10dry}):
0.11 Watt/m²°K G-2
3. Dimensional tolerances category: TLMA
Mean compressive strength: 3.0 MPa,
Dry gross density: 480 kg/m³
Dry oven thermal conductivity: ("lamda"_{10dry}):
0.13 Watt/m²°K G-3

This license is valid from 27/05/2025 until 31/12/2025


Dr. Gilad Golub
CEO




Avital Weinberg
VP Quality & Certification Division



Annex A: Green Label License No. 127277

Factory: YTONG PROBETON S.A. THRAKON GROUP

IGTD No. 53: Construction Blocks Lightweight Aggregate Composite Block For External

4. Dimensional tolerances category: GPLM
Mean compressive strength: 4.0 MPa,
Dry gross density: 580 kg/m³
Dry oven thermal conductivity: ("lamda"_{dry}):
0.16 Watt/m²K G-4

This license is valid from 27/05/2025 until 31/12/2025


Dr. Gilad Golub
CEO




Avital Weinberg
VP Quality & Certification Division

היתר תו ירוק מס' 127277

מכון התקנים הישראלי מעניק בזאת ל:

טרקון YTONG PROBETON S.A. THRAKON GROUP

THRAKON AEBE 130, SYNGROU, יוון, יוון

היתר תו ירוק על עמידה בדרישות

**מפרט ירוק מס' 53 : בלוקים לבנייה
בלוק בטון קל לקירות מעטפת**

רשימת דגמים מצורפת בנספח א

המיוצרים לפי דרישות התקן הישראלי ת"י 14020 "תיווי והצהרות סביבתיים-עקרונות כלליים" ועל פי הדרישות שנקבעו בתקנים היחודיים ובמינהלת התו הירוק. היתר זה ניתן בהתאם לנוהל AC 07.00 "מערכת כללים להפעלת מנהלת תו ירוק ולהענקת היתרי תו ירוק". ההיתר אינו גורע מכל חובה או הוראה אחרת, המוטלת על פי כל דין ועל המוצרים הנ"ל. ההיתר הוא רכוש מת"י. לברור תוקף ההיתר ניתן לסרוק את הברקוד, או להיכנס לאתר מכון התקנים הישראלי www.sii.org.il

תוקף ההיתר מיום 27/05/2025 עד יום 31/12/2025



אביטל ויינברג
סמנכ"ל להתעדה, אגף איכות והסמכה



ד"ר גלעד גולוב
מנכ"ל

עמוד 1 מתוך 3



מכון התקנים הישראלי



מכון התקנים הישראלי
רחוב חיים לבנון 42,
תל-אביב 6997701

נספח א': היתר תו ירוק מס' 127277
מפעל: טרקון YTONG PROBETON S.A. THRAKON GROUP

מפרט ירוק מס' 53 : בלוקים לבנייה בלוק בטון קל לקירות מעטפת

דגמים:

1. Dimensional tolerances category: GPLM
Mean compressive strength: 1.0 MPa,
Dry gross density: 280 kg/m³
(Dry oven thermal conductivity: ("lamda"10dry:
0.074 Watt/m²°k G-1
2. Dimensional tolerances category: GPLM
Mean compressive strength: 2.5 MPa,
Dry gross density: 400 kg/m³
(Dry oven thermal conductivity: ("lamda"10dry:
0.11 Watt/m²°k G-2
3. Dimensional tolerances category: TLMA
Mean compressive strength: 3.0 MPa,
Dry gross density: 480 kg/m³
(Dry oven thermal conductivity: ("lamda"10dry:
0.13 Watt/m²°k G-3
4. Dimensional tolerances category: GPLM
Mean compressive strength: 4.0 MPa,
Dry gross density: 580 kg/m³
(Dry oven thermal conductivity: ("lamda"10dry:
0.16 Watt/m²°k G-4

תוקף ההיתר מיום 27/05/2025 עד יום 31/12/2025


אביטל ויינברג
סמנכ"ל להתעדה, אגף איכות והסמכה




ד"ר גלעד גולוב
מנכ"ל

עמוד 2 מתוך 3




מכון התקנים הישראלי
רחוב חיים לבנון 42,
תל-אביב 6997701

נספח א': היתר תו ירוק מס' 127277
מפעל: טרקון YTONG PROBETON S.A. THRAKON GROUP

מפרט ירוק מס' 53 : בלוקים לבנייה בלוק בטון קל לקירות מעטפת

5.
Dimensional tolerances category: GPLM
Mean compressive strength: 1.0 MPa,
Dry gross density: 280 kg/m³
(Dry oven thermal conductivity: ("lamda"_{10dry}:
0.074 Watt/m²·K G-1



מכון התקנים הישראלי



תוקף ההיתר מיום 27/05/2025 עד יום 31/12/2025

אביטל ויינברג
סמנכ"ל להתעדה, אגף איכות והסמכה



ד"ר גלעד גולוב
מנכ"ל



מכון התקנים הישראלי
רחוב חיים לבנון 42,
תל-אביב 6997701